

The logo consists of the letters 'EDI' in a bold, white, sans-serif font, centered within a black square that has a white border.

NEMA 4X 304 STAINLESS STEEL CONTEMPORARY ENCLOSURE, SERIES Q4S

Application:

- Suitable for housing electrical and electronic controls, instrumentation, and related wiring
- Contemporary design with concealed hinges and quarter turn latches allows for easy access to internal components
- Designed for indoor or outdoor use and will protect components from dust, dirt, oil, hose directed water, and other contaminants in highly corrosive environments or when sanitary conditions are a requirement

Enclosure features:

- Fabricated from 14 gauge 304 stainless steel with seam welds that are ground smooth
- Door is also fabricated from 14 gauge 304 stainless steel
- Door has concealed hinges and is held closed with one or more quarter turn latches
- Includes a removable 12 gauge steel sub plate
- Door gasket is seamless foam-in-place polyurethane
- Ground studs are included on both the door and enclosure body
- Enclosure exterior is polished to a #4 finish
- Sub plate is finished in a white polyester powder coating over a phosphated surface

Industry Standards:

- NEMA 4X
- CSA Type 4X
- UL Type 4X

Approval:

- CSA NRTL/C approved
- UL approved

1-877-EDIRECT (334-7328)
ENCLOSURES DIRECT INC.

FAX: (613) 723-4479
sales@buyedi.com

EDI

NEMA 4X 304 Stainless Steel Single Door Enclosure with Quarter Turn Latching - Series Q4S

H	W	D	Model	Weight	HA	WA	HB	WB	HC	WC	HD	WD	HE	WE	HF	LATCHES
12	12	6	Q4S121206	26	10.5	10.5	11.82	11.82	N/A	N/A	10.2	10.2	9.16	9.16	N/A	1
12	12	8	Q4S121208	27	10.5	10.5	11.82	11.82	N/A	N/A	10.2	10.2	9.16	9.16	N/A	1
12	12	10	Q4S121210	28	10.5	10.5	11.82	11.82	N/A	N/A	10.2	10.2	9.16	9.16	N/A	1
12	16	6	Q4S121606	28	10.5	14.5	11.82	15.82	N/A	N/A	10.2	14.2	9.16	13.16	N/A	1
12	16	8	Q4S121608	29	10.5	14.5	11.82	15.82	N/A	N/A	10.2	14.2	9.16	13.16	N/A	1
12	16	10	Q4S121610	30	10.5	14.5	11.82	15.82	N/A	N/A	10.2	14.2	9.16	13.16	N/A	1
12	20	6	Q4S122006	32	10.5	18.5	11.82	19.82	N/A	N/A	10.2	18.2	9.16	17.16	N/A	1
12	20	8	Q4S122008	35	10.5	18.5	11.82	19.82	N/A	N/A	10.2	18.2	9.16	17.16	N/A	1
12	20	10	Q4S122010	38	10.5	18.5	11.82	19.82	N/A	N/A	10.2	18.2	9.16	17.16	N/A	1
12	24	6	Q4S122406	38	10.5	22.5	11.82	23.82	N/A	N/A	10.2	22.2	9.16	21.16	N/A	1
12	24	8	Q4S122408	40	10.5	22.5	11.82	23.82	N/A	N/A	10.2	22.2	9.16	21.16	N/A	1
12	24	10	Q4S122410	42	10.5	22.5	11.82	23.82	N/A	N/A	10.2	22.2	9.16	21.16	N/A	1
16	12	6	Q4S161206	28	14.5	10.5	15.82	11.82	N/A	N/A	14.2	10.2	13.16	9.16	N/A	1
16	12	8	Q4S161208	29	14.5	10.5	15.82	11.82	N/A	N/A	14.2	10.2	13.16	9.16	N/A	1
16	12	10	Q4S161210	30	14.5	10.5	15.82	11.82	N/A	N/A	14.2	10.2	13.16	9.16	N/A	1
16	16	6	Q4S161606	32	14.5	14.5	15.82	15.82	N/A	N/A	14.2	14.2	13.16	13.16	N/A	1
16	16	8	Q4S161608	34	14.5	14.5	15.82	15.82	N/A	N/A	14.2	14.2	13.16	13.16	N/A	1
16	16	10	Q4S161610	36	14.5	14.5	15.82	15.82	N/A	N/A	14.2	14.2	13.16	13.16	N/A	1
16	20	6	Q4S162006	38	14.5	18.5	15.82	19.82	N/A	N/A	14.2	18.2	13.16	17.16	N/A	1
16	20	8	Q4S162008	41	14.5	18.5	15.82	19.82	N/A	N/A	14.2	18.2	13.16	17.16	N/A	1

1-877-EDIRECT (334-7328)
ENCLOSURES DIRECT INC.

FAX: (613) 723-4479
sales@buyedi.com

EDI

NEMA 4X 304 Stainless Steel Single Door Enclosure with Quarter Turn Latching - Series Q4S

H	W	D	Model	Weight	HA	WA	HB	WB	HC	WC	HD	WD	HE	WE	HF	LATCHES
16	20	10	Q4S162010	44	14.5	18.5	15.82	19.82	N/A	N/A	14.2	18.2	13.16	17.16	N/A	1
16	24	6	Q4S162406	46	14.5	22.5	15.82	23.82	N/A	N/A	14.2	22.2	13.16	21.16	N/A	1
16	24	8	Q4S162408	50	14.5	22.5	15.82	23.82	N/A	N/A	14.2	22.2	13.16	21.16	N/A	1
16	24	10	Q4S162410	54	14.5	22.5	15.82	23.82	N/A	N/A	14.2	22.2	13.16	21.16	N/A	1
20	12	6	Q4S201206	32	18.5	10.5	19.82	11.82	N/A	N/A	18.2	10.2	17.16	9.16	N/A	1
20	12	8	Q4S201208	35	18.5	10.5	19.82	11.82	N/A	N/A	18.2	10.2	17.16	9.16	N/A	1
20	12	10	Q4S201210	38	18.5	10.5	19.82	11.82	N/A	N/A	18.2	10.2	17.16	9.16	N/A	1
20	16	6	Q4S201606	38	18.5	14.5	19.82	15.82	N/A	N/A	18.2	14.2	17.16	13.16	N/A	1
20	16	8	Q4S201608	41	18.5	14.5	19.82	15.82	N/A	N/A	18.2	14.2	17.16	13.16	N/A	1
20	16	10	Q4S201610	44	18.5	14.5	19.82	15.82	N/A	N/A	18.2	14.2	17.16	13.16	N/A	1
20	20	6	Q4S202006	48	18.5	18.5	19.82	19.82	N/A	N/A	18.2	18.2	17.16	17.16	N/A	1
20	20	8	Q4S202008	50	18.5	18.5	19.82	19.82	N/A	N/A	18.2	18.2	17.16	17.16	N/A	1
20	20	10	Q4S202010	52	18.5	18.5	19.82	19.82	N/A	N/A	18.2	18.2	17.16	17.16	N/A	1
20	24	6	Q4S202406	54	18.5	22.5	19.82	23.82	N/A	N/A	18.2	22.2	17.16	21.16	N/A	1
20	24	8	Q4S202408	58	18.5	22.5	19.82	23.82	N/A	N/A	18.2	22.2	17.16	21.16	N/A	1
20	24	10	Q4S202410	64	18.5	22.5	19.82	23.82	N/A	N/A	18.2	22.2	17.16	21.16	N/A	1
20	30	6	Q4S203006	66	18.5	28.5	19.82	29.82	N/A	N/A	18.2	28.2	17.16	27.16	N/A	1
20	30	8	Q4S203008	70	18.5	28.5	19.82	29.82	N/A	N/A	18.2	28.2	17.16	27.16	N/A	1
20	30	10	Q4S203010	76	18.5	28.5	19.82	29.82	N/A	N/A	18.2	28.2	17.16	27.16	N/A	1
20	30	12	Q4S203012	82	18.5	28.5	19.82	29.82	N/A	N/A	18.2	28.2	17.16	27.16	N/A	1

1-877-EDIRECT (334-7328)
ENCLOSURES DIRECT INC.

FAX: (613) 723-4479
sales@buyedi.com

EDI

NEMA 4X 304 Stainless Steel Single Door Enclosure with Quarter Turn Latching - Series Q4S

H	W	D	Model	Weight	HA	WA	HB	WB	HC	WC	HD	WD	HE	WE	HF	LATCHES
20	36	8	Q4S203608	90	18.5	34.5	19.82	35.82	N/A	N/A	18.2	34.2	17.16	33.16	N/A	1
20	36	10	Q4S203610	96	18.5	34.5	19.82	35.82	N/A	N/A	18.2	34.2	17.16	33.16	N/A	1
20	36	12	Q4S203612	102	18.5	34.5	19.82	35.82	N/A	N/A	18.2	34.2	17.16	33.16	N/A	1
20	36	16	Q4S203616	110	18.5	34.5	19.82	35.82	N/A	N/A	18.2	34.2	17.16	33.16	N/A	1
24	12	6	Q4S241206	38	22.5	10.5	23.82	11.82	N/A	N/A	22.2	10.2	21.16	9.16	5	2
24	12	8	Q4S241208	40	22.5	10.5	23.82	11.82	N/A	N/A	22.2	10.2	21.16	9.16	5	2
24	12	10	Q4S241210	42	22.5	10.5	23.82	11.82	N/A	N/A	22.2	10.2	21.16	9.16	5	2
24	16	6	Q4S241606	46	22.5	14.5	23.82	15.82	N/A	N/A	22.2	14.2	21.16	13.16	5	2
24	16	8	Q4S241608	50	22.5	14.5	23.82	15.82	N/A	N/A	22.2	14.2	21.16	13.16	5	2
24	16	10	Q4S241610	54	22.5	14.5	23.82	15.82	N/A	N/A	22.2	14.2	21.16	13.16	5	2
24	20	6	Q4S242006	54	22.5	18.5	23.82	19.82	N/A	N/A	22.2	18.2	21.16	17.16	5	2
24	20	8	Q4S242008	58	22.5	18.5	23.82	19.82	N/A	N/A	22.2	18.2	21.16	17.16	5	2
24	20	10	Q4S242010	64	22.5	18.5	23.82	19.82	N/A	N/A	22.2	18.2	21.16	17.16	5	2
24	24	6	Q4S242406	62	22.5	22.5	23.82	23.82	N/A	N/A	22.2	22.2	21.16	21.16	5	2
24	24	8	Q4S242408	68	22.5	22.5	23.82	23.82	N/A	N/A	22.2	22.2	21.16	21.16	5	2
24	24	10	Q4S242410	73	22.5	22.5	23.82	23.82	N/A	N/A	22.2	22.2	21.16	21.16	5	2
24	24	12	Q4S242412	75	22.5	22.5	23.82	23.82	N/A	N/A	22.2	22.2	21.16	21.16	5	2
24	30	6	Q4S243006	76	22.5	28.5	23.82	29.82	N/A	N/A	22.2	28.2	21.16	27.16	5	2
24	30	8	Q4S243008	82	22.5	28.5	23.82	29.82	N/A	N/A	22.2	28.2	21.16	27.16	5	2
24	30	10	Q4S243010	86	22.5	28.5	23.82	29.82	N/A	N/A	22.2	28.2	21.16	27.16	5	2

1-877-EDIRECT (334-7328)
ENCLOSURES DIRECT INC.

FAX: (613) 723-4479
sales@buyedi.com

EDI

NEMA 4X 304 Stainless Steel Single Door Enclosure with Quarter Turn Latching - Series Q4S

H	W	D	Model	Weight	HA	WA	HB	WB	HC	WC	HD	WD	HE	WE	HF	LATCHES
24	30	12	Q4S243012	90	22.5	28.5	23.82	29.82	N/A	N/A	22.2	28.2	21.16	27.16	5	2
24	36	8	Q4S243608	96	22.5	34.5	23.82	35.82	N/A	N/A	22.2	34.2	21.16	33.16	5	2
24	36	10	Q4S243610	105	22.5	34.5	23.82	35.82	N/A	N/A	22.2	34.2	21.16	33.16	5	2
24	36	12	Q4S243612	108	22.5	34.5	23.82	35.82	N/A	N/A	22.2	34.2	21.16	33.16	5	2
24	36	16	Q4S243616	112	22.5	34.5	23.82	35.82	N/A	N/A	22.2	34.2	21.16	33.16	5	2
30	16	6	Q4S301606	56	28.5	14.5	29.82	15.82	N/A	N/A	28.2	14.2	27.16	13.16	5	2
30	16	8	Q4S301608	60	28.5	14.5	29.82	15.82	N/A	N/A	28.2	14.2	27.16	13.16	5	2
30	16	10	Q4S301610	64	28.5	14.5	29.82	15.82	N/A	N/A	28.2	14.2	27.16	13.16	5	2
30	16	12	Q4S301612	68	28.5	14.5	29.82	15.82	N/A	N/A	28.2	14.2	27.16	13.16	5	2
30	20	6	Q4S302006	66	28.5	18.5	29.82	19.82	N/A	N/A	28.2	18.2	27.16	17.16	5	2
30	20	8	Q4S302008	70	28.5	18.5	29.82	19.82	N/A	N/A	28.2	18.2	27.16	17.16	5	2
30	20	10	Q4S302010	76	28.5	18.5	29.82	19.82	N/A	N/A	28.2	18.2	27.16	17.16	5	2
30	20	12	Q4S302012	82	28.5	18.5	29.82	19.82	N/A	N/A	28.2	18.2	27.16	17.16	5	2
30	24	6	Q4S302406	76	28.5	22.5	29.82	23.82	N/A	N/A	28.2	22.2	27.16	21.16	5	2
30	24	8	Q4S302408	82	28.5	22.5	29.82	23.82	N/A	N/A	28.2	22.2	27.16	21.16	5	2
30	24	10	Q4S302410	86	28.5	22.5	29.82	23.82	N/A	N/A	28.2	22.2	27.16	21.16	5	2
30	24	12	Q4S302412	90	28.5	22.5	29.82	23.82	N/A	N/A	28.2	22.2	27.16	21.16	5	2
30	30	6	Q4S303006	96	28.5	28.5	29.82	29.82	N/A	N/A	28.2	28.2	27.16	27.16	5	2
30	30	8	Q4S303008	102	28.5	28.5	29.82	29.82	N/A	N/A	28.2	28.2	27.16	27.16	5	2
30	30	10	Q4S303010	108	28.5	28.5	29.82	29.82	N/A	N/A	28.2	28.2	27.16	27.16	5	2

1-877-EDIRECT (334-7328)
ENCLOSURES DIRECT INC.

FAX: (613) 723-4479
sales@buyedi.com

EDI

NEMA 4X 304 Stainless Steel Single Door Enclosure with Quarter Turn Latching - Series Q4S

H	W	D	Model	Weight	HA	WA	HB	WB	HC	WC	HD	WD	HE	WE	HF	LATCHES
30	30	12	Q4S303012	114	28.5	28.5	29.82	29.82	N/A	N/A	28.2	28.2	27.16	27.16	5	2
30	36	8	Q4S303608	120	28.5	34.5	29.82	35.82	N/A	N/A	28.2	34.2	27.16	33.16	5	2
30	36	10	Q4S303610	124	28.5	34.5	29.82	35.82	N/A	N/A	28.2	34.2	27.16	33.16	5	2
30	36	12	Q4S303612	132	28.5	34.5	29.82	35.82	N/A	N/A	28.2	34.2	27.16	33.16	5	2
30	36	16	Q4S303616	140	28.5	34.5	29.82	35.82	N/A	N/A	28.2	34.2	27.16	33.16	5	2
36	20	8	Q4S362008	90	34.5	18.5	35.82	19.82	N/A	N/A	34.2	18.2	33.16	17.16	5	2
36	20	10	Q4S362010	96	34.5	18.5	35.82	19.82	N/A	N/A	34.2	18.2	33.16	17.16	5	2
36	20	12	Q4S362012	102	34.5	18.5	35.82	19.82	N/A	N/A	34.2	18.2	33.16	17.16	5	2
36	20	16	Q4S362016	110	34.5	18.5	35.82	19.82	N/A	N/A	34.2	18.2	33.16	17.16	5	2
36	24	8	Q4S362408	96	34.5	22.5	35.82	23.82	N/A	N/A	34.2	22.2	33.16	21.16	5	2
36	24	10	Q4S362410	105	34.5	22.5	35.82	23.82	N/A	N/A	34.2	22.2	33.16	21.16	5	2
36	24	12	Q4S362412	108	34.5	22.5	35.82	23.82	N/A	N/A	34.2	22.2	33.16	21.16	5	2
36	24	16	Q4S362416	112	34.5	22.5	35.82	23.82	N/A	N/A	34.2	22.2	33.16	21.16	5	2
36	30	8	Q4S363008	120	34.5	28.5	35.82	29.82	N/A	N/A	34.2	28.2	33.16	27.16	5	2
36	30	10	Q4S363010	124	34.5	28.5	35.82	29.82	N/A	N/A	34.2	28.2	33.16	27.16	5	2
36	30	12	Q4S363012	132	34.5	28.5	35.82	29.82	N/A	N/A	34.2	28.2	33.16	27.16	5	2
36	30	16	Q4S363016	140	34.5	28.5	35.82	29.82	N/A	N/A	34.2	28.2	33.16	27.16	5	2
36	36	8	Q4S363608	142	34.5	34.5	35.82	35.82	N/A	N/A	34.2	34.2	33.16	33.16	5	2
36	36	10	Q4S363610	148	34.5	34.5	35.82	35.82	N/A	N/A	34.2	34.2	33.16	33.16	5	2
36	36	12	Q4S363612	156	34.5	34.5	35.82	35.82	N/A	N/A	34.2	34.2	33.16	33.16	5	2

1-877-EDIRECT (334-7328)
ENCLOSURES DIRECT INC.

FAX: (613) 723-4479
sales@buyedi.com

EDI

NEMA 4X 304 Stainless Steel Single Door Enclosure with Quarter Turn Latching - Series Q4S

H	W	D	Model	Weight	HA	WA	HB	WB	HC	WC	HD	WD	HE	WE	HF	LATCHES
36	36	16	Q4S363616	166	34.5	34.5	35.82	35.82	N/A	N/A	34.2	34.2	33.16	33.16	5	2
42	24	8	Q4S422408	110	40.5	22.5	41.82	23.82	40	21.18	40.2	22.2	39.16	21.16	6	3
42	24	10	Q4S422410	116	40.5	22.5	41.82	23.82	40	21.18	40.2	22.2	39.16	21.16	6	3
42	24	12	Q4S422412	124	40.5	22.5	41.82	23.82	40	21.18	40.2	22.2	39.16	21.16	6	3
42	24	16	Q4S422416	134	40.5	22.5	41.82	23.82	40	21.18	40.2	22.2	39.16	21.16	6	3
42	30	8	Q4S423008	132	40.5	28.5	41.82	29.82	40	27.18	40.2	28.2	39.16	27.16	6	3
42	30	10	Q4S423010	140	40.5	28.5	41.82	29.82	40	27.18	40.2	28.2	39.16	27.16	6	3
42	30	12	Q4S423012	150	40.5	28.5	41.82	29.82	40	27.18	40.2	28.2	39.16	27.16	6	3
42	30	16	Q4S423016	162	40.5	28.5	41.82	29.82	40	27.18	40.2	28.2	39.16	27.16	6	3
42	36	8	Q4S423608	182	40.5	34.5	41.82	35.82	40	33.18	40.2	34.2	39.16	33.16	6	3
42	36	10	Q4S423610	192	40.5	34.5	41.82	35.82	40	33.18	40.2	34.2	39.16	33.16	6	3
42	36	12	Q4S423612	198	40.5	34.5	41.82	35.82	40	33.18	40.2	34.2	39.16	33.16	6	3
42	36	16	Q4S423616	214	40.5	34.5	41.82	35.82	40	33.18	40.2	34.2	39.16	33.16	6	3
48	17.5	10	Q4S481710	120	46.5	16	47.82	17.32	46	14.68	46.2	15.7	45.16	14.56	7	3
48	24	8	Q4S482408	122	46.5	22.5	47.82	23.82	46	21.18	46.2	22.2	45.16	21.16	7	3
48	24	10	Q4S482410	131	46.5	22.5	47.82	23.82	46	21.18	46.2	22.2	45.16	21.16	7	3
48	24	12	Q4S482412	143	46.5	22.5	47.82	23.82	46	21.18	46.2	22.2	45.16	21.16	7	3
48	24	16	Q4S482416	157	46.5	22.5	47.82	23.82	46	21.18	46.2	22.2	45.16	21.16	7	3
48	30	8	Q4S483008	162	46.5	28.5	47.82	29.82	46	27.18	46.2	28.2	45.16	27.16	7	3
48	30	10	Q4S483010	173	46.5	28.5	47.82	29.82	46	27.18	46.2	28.2	45.16	27.16	7	3

1-877-EDIRECT (334-7328)
ENCLOSURES DIRECT INC.

FAX: (613) 723-4479
sales@buyedi.com

EDI

NEMA 4X 304 Stainless Steel Single Door Enclosure with Quarter Turn Latching - Series Q4S

H	W	D	Model	Weight	HA	WA	HB	WB	HC	WC	HD	WD	HE	WE	HF	LATCHES
48	30	12	Q4S483012	187	46.5	28.5	47.82	29.82	46	27.18	46.2	28.2	45.16	27.16	7	3
48	30	16	Q4S483016	204	46.5	28.5	47.82	29.82	46	27.18	46.2	28.2	45.16	27.16	7	3
48	36	8	Q4S483608	201	46.5	34.5	47.82	35.82	46	33.18	46.2	34.2	45.16	33.16	7	3
48	36	10	Q4S483610	208	46.5	34.5	47.82	35.82	46	33.18	46.2	34.2	45.16	33.16	7	3
48	36	12	Q4S483612	222	46.5	34.5	47.82	35.82	46	33.18	46.2	34.2	45.16	33.16	7	3
48	36	16	Q4S483616	238	46.5	34.5	47.82	35.82	46	33.18	46.2	34.2	45.16	33.16	7	3

1-877-EDIRECT (334-7328)
ENCLOSURES DIRECT INC.

FAX: (613) 723-4479
sales@buyedi.com